EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3063	(@ad<"20020617" or @rlad<"20020617") and "H.323"	US- PGPUB; USPAT	OR	ON	2008/02/12 13:54
S2	4	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (hold with rerout\$3)	US- PGPUB; USPAT	OR	ON	2008/02/12 13:55
S3	2	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (pause with rerout\$3)	US- PGPUB; USPAT	OR	ON	2008/02/12 13:55
S4	57	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus\$3 or hold \$3) with (rerout\$3 or retriev \$3))	US- PGPUB; USPAT	OR	ON	2008/02/12 13:56
S5	1	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus\$3 or hold \$3) with (rerout\$3 or retriev \$3)) same (ack or acknowled \$9 or confirm\$6)	US- PGPUB; USPAT	OR	ON	2008/02/12 13:58
S6	46	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus\$3 or hold \$3) with (rerout\$3 or retriev \$3)) and (ack or acknowled \$9 or confirm\$6)	US- PGPUB; USPAT	OR	ON	2008/02/12 14:00
S7	21	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus\$3 or hold \$3) near2 (rerout\$3 or retriev\$3))	US- PGPUB; USPAT	OR	ON	2008/02/12 14:01
S8	3	(@ad<"20020617" or @rlad<"20020617") and ((paus\$3) near2 (rerout\$3))	US- PGPUB; USPAT	OR	ON	2008/02/12 14:29
S9	3	(@ad<"20020617" or @rlad<"20020617") and "TCS=0"	US- PGPUB; USPAT	OR	ON	2008/02/13 08:22
S10	1357	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) with (zero or empty)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:22

S11	2985	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) with (zero or empty or "0")	US- PGPUB; USPAT	OR	ON	2008/02/13 08:23
S12	550	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) near (zero or empty or "0")	US- PGPUB; USPAT	OR	ON	2008/02/13 08:23
S13	18	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) near (zero or empty or "0")	US- PGPUB; USPAT	OR	OFF	2008/02/13 08:24
S14	45	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) near2 (zero or empty or "0")	US- PGPUB; USPAT	OR	OFF	2008/02/13 08:24
S15	2	(@ad<"20020617" or @rlad<"20020617") and "H.323" with (close adj logical adj channel)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:30
S16	11	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (close adj logical adj channel)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:32
S17	0	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (LCI)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:39
S18	0	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (CLC)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:44
S19	0	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (close with LC)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:45
S20	41	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (close)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:45
S21	295	(@ad<"20020617" or @rlad<"20020617") and "H.225.0"	US- PGPUB; USPAT	OR	ON	2008/02/13 08:53

S22	76	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status))	US- PGPUB; USPAT	OR	ON	2008/02/13 08:54
S23	0	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) with (confirmation or acknowled \$7)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:54
S24	0	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) with (confirmation or acknowled \$7 or ack)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:54
S25	51	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) and (confirmation or acknowled \$7 or ack)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:55
S26	0	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) with (close)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:57
S27	6	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) same (confirmation or ack or acknowled\$7)	US- PGPUB; USPAT	OR	ON	2008/02/13 08:57
S28	36	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (confirm\$6 or ack or acknowled\$7) with close	US- PGPUB; USPAT	OR	ON	2008/02/13 09:15
S29	0	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (confirm\$6 or ack or acknowled\$7) with close with always	US- PGPUB; USPAT	OR	ON	2008/02/13 09:15
S30	5	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (confirm\$6 or ack or acknowled\$7) with close with request	US- PGPUB; USPAT	OR	ON	2008/02/13 09:16

S31	12	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowled\$7) with close with (all or every or each)	US- PGPUB; USPAT	OR	ON	2008/02/13 09:18
S32	70	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowled\$7) with (terminat \$4 or clos\$3 or teardown or (tear adj down)) with (all or every or each)	US- PGPUB; USPAT	OR	ON	2008/02/13 09:20
S33	5	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowled\$7) with (terminat \$4 or clos\$3 or teardown or (tear adj down)) with (all or every or each) with (connection or path or route)	US- PGPUB; USPAT	OR	ON	2008/02/13 09:20
S34	6	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowled\$7) with (terminat \$4 or clos\$3 or teardown or (tear adj down)) with (all or every or each) with (connection or path or route or channel)	US- PGPUB; USPAT	OR	ON	2008/02/13 09:21
S35	2	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowled\$7) with (terminat \$4 or clos\$3 or teardown or (tear adj down)) with (prompt) with (connection or path or route or channel)	US- PGPUB; USPAT	OR	ON	2008/02/13 09:23
S36	5	(@ad<"20020617" or @rlad<"20020617") and (confirm\$6 or ack or acknowled\$7) with (terminat \$4 or clos\$3 or teardown or (tear adj down)) with (prompt\$3) with (connection or path or route or channel)	US- PGPUB; USPAT	OR	ON	2008/02/13 09:23
S37	9	(@ad<"20020617" or @rlad<"20020617") and (terminat\$4 or clos\$3 or teardown or (tear adj down)) with (gateway) with (determin\$3 or identify\$3) with traffic	US- PGPUB; USPAT	OR	ON	2008/02/13 09:27

S38	5778	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection with (clos\$3 or end\$3))	US- PGPUB; USPAT	OR	ON	2008/09/17 08:08
S39	1357	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection near2 (clos \$3 or end\$3))	US- PGPUB; USPAT	OR	ON	2008/09/17 08:08
S40	4981	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection with (close or closure or closing or end \$3))	US- PGPUB; USPAT	OR	ON	2008/09/17 08:09
S41	972	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection with (close or closure or closing))	US- PGPUB; USPAT	OR	ON	2008/09/17 08:09
S42	244	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection near2 (close or closure or closing))	US- PGPUB; USPAT	OR	ON	2008/09/17 08:09
S43	34	(@ad<"20020617" or @rlad<"20020617") and ((determin\$3 or discover\$3) with connection near2 (close or closure or closing) with (time or timer or timing))	US- PGPUB; USPAT	OR	ON	2008/09/17 08:16
S44	468	(@ad<"20020617" or @rlad<"20020617") and ((close or closure) near2 (signal or message) with receiv\$3 with (time or timer or timing))	US- PGPUB; USPAT	OR	ON	2008/09/17 08:23
S45	3091106	(@ad<"20020617" or @rlad<"20020617") and ((close or closure) near2 (signal or message) with receiv\$3 naer2 (time or timer or timing))	US- PGPUB; USPAT	OR	ON	2008/09/17 08:23
S46	67	(@ad<"20020617" or @rlad<"20020617") and ((close or closure) near2 (signal or message) with receiv\$3 near2 (time or timer or timing))	US- PGPUB; USPAT	OR	ON	2008/09/17 08:23

S47	9	("7412043" "7403515"	USPAT	OR	OFF	2008/09/17
		"7408922" "7315537"				08:39
		"7327677" "7227922"				
		"6466662" "6442268"				
		"6781964").pn.				

9/19/08 10:26:29 AM

C:\ Documents and Settings\jmattis\ My Documents\ EAST\ Workspaces\ 10518310.wsp